

**To:** Sisk, Richard[Sisk.Richard@epa.gov]  
**From:** Williams, Laura  
**Sent:** Tue 10/27/2015 6:42:17 PM  
**Subject:** FW: Sample Preservation for Gold King - CO ICP

Richard, here is the sample preservation status. - lw

**From:** Romero, David  
**Sent:** Tuesday, October 27, 2015 11:34 AM  
**To:** Williams, Laura  
**Subject:** FW: Samples collected at Durango

David Romero

Emergency Response Program

US EPA Region 8

Off: 303.312.6572

**From:** Pryhoda, Moira [<mailto:Moira.Pryhoda@WestonSolutions.com>]  
**Sent:** Tuesday, October 27, 2015 11:31 AM  
**To:** West, John; Romero, David  
**Cc:** Blanchard, Mark R.; Robinson, David  
**Subject:** RE: Samples collected at Durango

**CBI/Ex. 4**

Moira Pryhoda

Weston Solutions, Inc.

1435 Garrison St, Ste 100

Lakewood, CO 80215

Ph: 303-729-6112

Cell: 508-904-7579

**From:** West, John

**Sent:** Tuesday, October 27, 2015 11:29 AM

**To:** Romero, David <[Romero.David@epa.gov](mailto:Romero.David@epa.gov)>

**Cc:** Pryhoda, Moira <[Moira.Pryhoda@WestonSolutions.com](mailto:Moira.Pryhoda@WestonSolutions.com)>; Blanchard, Mark R. <[M.Blanchard@WestonSolutions.com](mailto:M.Blanchard@WestonSolutions.com)>; Robinson, David <[David.Robinson@WestonSolutions.com](mailto:David.Robinson@WestonSolutions.com)>

**Subject:** Re: Samples collected at Durango

The labs typically hold on to the samples for a set period after analysis but I don't know what directions Test America was given for GKM.

Sent from my iPad

On Oct 27, 2015, at 11:20, Romero, David <[Romero.David@epa.gov](mailto:Romero.David@epa.gov)> wrote:

John..

**CBI/Ex. 4**

I can't

imagine you were given direction to hold on to them after a certain period of time considering holding times. Let me know what direction you were given?

David Romero

Emergency Response Program

US EPA Region 8

Off: 303.312.6572

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary

information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.